

09/500,921

1. (Previously Presented) A method for processing the same request from a client program to multiple instances of the same server program over the same protocol, said method comprising:
 - transferring said same request from said client program to an intermediary;
 - generating a plurality of instances of said same request using said intermediary, wherein each of said instances of said same request corresponds to a different instance of said same server program;
 - transferring said instances of said same request from said intermediary to said instances of said same server program;
 - transferring a plurality of responses from said instances of said same server program to said intermediary;
 - converting said responses to a uniform response; and
 - transferring said uniform response to said client program.
2. (Previously Presented) The method in claim 1, further comprising specifying target instances of said same server program to form a fan out target list, to which said instances of said same request will be transferred.
3. (Original) The method in claim 1, wherein said converting comprises selecting an operation to combine said responses.
4. (Original) The method in claim 3, wherein said operation comprises one of listing said responses, aggregating said responses, adding said responses, preparing a subset of said responses, identifying a maximum of said responses, identifying a minimum of said responses, and averaging said responses.
5. (Previously Presented) The method in claim 1, wherein said intermediary automatically creates said instances of said same request.
6. (Previously Presented) The method in claim 1, wherein said client program, said same server program, and said same protocol are not modified by said method.

09/500,921

7. (Original) The method in claim 1, wherein said unified response has an instance corresponding to said client program.

8. (Previously Presented) A method of processing a the same request from a client program to multiple instances of the same server program over the same protocol, said method comprising:

modifying said same request to create multiple instances of said same request, each of said instances of said same request corresponding to a single instance of said same server program;

transferring said instances of said same request to corresponding ones of said instances of said same server program; and

modifying and combining responses to said same request from said instances of said same server program to create a unified response.

9. (Original) The method in claim 8, wherein an intermediary alters said same request to comply with each instance of said same server program.

10. (Previously Presented) The method in claim 9, wherein said intermediary automatically creates said instances of said same request.

11. (Previously Presented) The method in claim 8, further comprising specifying target instances of said same server program to form a fan out target list, to which said instances of said same request will be transferred.

12. (Original) The method in claim 8, wherein said converting comprises selecting an operation to combine said responses.

13. (Original) The method in claim 12, wherein said operation comprises one of listing said responses, aggregating said responses, adding said responses, preparing a

09/500,921

subset of said responses, identifying a maximum of said responses, identifying a minimum of said responses, and averaging said responses.

14. (Previously Presented) The method in claim 8, wherein said client program, said same server program, and said same protocol are not modified by said method.

15. (Original) The method in claim 8, wherein said unified response has an instance corresponding to said client program.

16. (Previously Presented) A method of using a computer program to process the same request from a client program to multiple instances of the same server program over a the same protocol, said method comprising:

using said computer program to transfer said same request from said client program to an intermediary;

using said computer program to generate a plurality of instances of said same request using said intermediary, wherein each of said instances of said same request corresponds to a different instance of said same server program;

using said computer program to transfer said instances of said same request from said intermediary to said instances of said same server program;

using said computer program to transfer a plurality of responses from said instances of said same server program to said intermediary;

using said computer program to convert said responses to a uniform response; and

using said computer program to transfer said uniform response to said client program.

17. (Previously Presented) The method in claim 16, further comprising using said computer program to specify target instances of said same server program to form a fan out target list, to which said same request will be transferred.

09/500,921

18. (Original) The method in claim 16, wherein said using said computer program to convert comprises using said computer program to select an operation to combine said responses.

19. (Original) The method in claim 18, wherein said operation comprises one of listing said responses, aggregating said responses, adding said responses, preparing a subset of said responses, identifying a maximum of said responses, identifying a minimum of said responses, and averaging said responses.

20. (Previously Presented) The method in claim 16, wherein said intermediary automatically creates said instances of said same request.

21. (Previously Presented) The method in claim 16, wherein said client program, said instances of said same server program, and said same protocol are not modified by said computer program.

22. (Original) The method in claim 16, wherein said unified response has an instance corresponding to said client program.

23. (Previously Presented) A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform a method for processing the same request from a client program to multiple instances of the same server program over the same protocol, said method comprising:

transferring said same request from said client program to an intermediary;

generating a plurality of instances of said same request using said intermediary, wherein each of said instances of said same request corresponds to a different instance of said same server program;

transferring said instances of said same request from said intermediary to said instances of said same server program;

transferring a plurality of responses from said instances of said same server program to said intermediary;

09/500,921

converting said responses to a uniform response; and
transferring said uniform response to said client program.

24. (Previously Presented) The program storage device in claim 23, further comprising specifying target instances of said same server program to form a fan out target list, to which said instances of said request will be transferred.

25. (Original) The program storage device in claim 23, wherein said converting comprises selecting an operation to combine said responses.

26. (Original) The program storage device in claim 25, wherein said operation comprises one of listing said responses, aggregating said responses, adding said responses, preparing a subset of said responses, identifying a maximum of said responses, identifying a minimum of said responses, and averaging said responses.

27. (Previously Presented) The program storage device in claim 23, wherein said intermediary automatically creates said instances of said same request.

28. (Previously Presented) The program storage device in claim 23, wherein said client program, said instances of said same server program, and said same protocol are not modified by said method.

29. (Original) The program storage device in claim 23, wherein said unified response has an instance corresponding to said client program.

30. (Previously Presented) An intermediary for processing the same request from a client program to multiple instances of the same server program over the same protocol, said intermediary comprising:

a converter for generating a plurality of instances of said same request, wherein each of said instances of said same request corresponds to a different instance of said same server program; and

09/500,921

a response combiner for converting said responses to a uniform response.

31. (Previously Presented) The intermediary in claim 30, wherein said response combiner selects an operation to combine said responses.
32. (Previously Presented) The intermediary in claim 31, wherein said operation comprises one of listing said responses, aggregating said responses, adding said responses, preparing a subset of said responses, identifying a maximum of said responses, identifying a minimum of said responses, and averaging said responses.
33. (Previously Presented) The intermediary in claim 30, wherein said converter automatically creates said instances of said same request upon receipt of said same request.
34. (Previously Presented) The intermediary in claim 30, wherein said client program, said same server program, and said same protocol are not modified by said intermediary.
35. (Previously Presented) The intermediary in claim 30, wherein said unified response has an instance corresponding to said client program.